



## Certificate of FDA Compliance

Certification No.: RJSCHN0708171FDA

Test Report No.: HC195765

**Applicant:** JUSHI GROUP CO., LTD.  
**Address:** ECONOMIC DEVELOPMENT ZONE, TONGXIANG,  
ZHEJIANG, 314500, P. R. CHINA  
**FDA Facility Registration No.:** 12359649792  
**Product Description:** GLASS FIBER CHOPPED STRANDS 568  
**Test Standard:** U.S. FDA FOOD CONTACT ARTICLE TEST IN  
ACCORDANCE WITH 21CFR 175.300  
**Test Performing Date:** JUN 23, 2007  
**Test Laboratory:** THE HONG KONG STANDARDS AND TESTING  
CENTRE LTD

### Conclusion:

This certificate is only valid for the equipment and configuration described, in conjunction with the test date detailed above.

This certificate makes no other representations or warranties, nor does it make any representations or warranties to any person or entity other than the named certificate holder. RJS standard testing & certification center. assumes no liability to any person or entity in connection with the foregoing.



Emma Hsu  
Chief Operation Officer  
Date: Aug 20, 2007



**RJS STANDARDS TESTING & CERTIFICATION CENTER**

141-04 14th Avenue, Whitestone, New York 11357, USA.